

Work Order ID 63614

Thursday, November 04, 2010 3:57:51 PM

Page 1

Item ID: D350-604-041

Accept

Setup Start

Revision ID:

Stop

Item Name: Rear Locker Extender

Start Date: 11/4/2010 Start Qty: 4.00

Required Date: 11/26/2010 Req'd Qty: 4.00

Cust Item ID:

Customer:

Reference:

Approvals: Process Plan: CZ Date: 10/11/05 Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2273	D								
D350-604-041	A								
DSI9470	A								

100



DC

Document Control

DOCUMENT CONTROL

Memo

Photocopy bluefile and create labels per PPP D350-604-041 CHG002

0.00

0.00

for BG 10-12-15

110



Purchasing

Purchasing

PURCHASING

Memo

Issue P/O: 12873

Description: D350-604-041 Rear locker extender.

Supplier: Delastek.

Certification of Conformity and process sheet from Delastek is required.

4 x 2600-6 Camlock stud - Ship to Delastek B 115844

0.00

0.00

CZ 10/11/05 D

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 63614

Page 2

Thursday, November 04, 2010 3:57:51 PM

Item ID: D350-604-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Rear Locker Extender

Start Date: 11/4/2010 Start Qty: 4.00



Cust Item ID:

Required Date: 11/26/2010 Req'd Qty: 4.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120



Packaging

Packaging

Receive & Inspect for Damage & Mat'l Certs
Packaging

0.00

Memo

0.00

Ensure a copy of Certification of Conformity and process sheet from Delastek is attached.

130



QC

Quality Control

QC5- Inspect part completeness to step on W/O

0.00

Memo

0.00

Check hole locations to template. DT 8824 Check process sheet and audit.

140



Packaging

Packaging

Pick Kit

0.00

Memo

0.00

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 63614

Thursday, November 04, 2010 3:57:51 PM

Page 3

Item ID: D350-604-041

Accept

Setup Start

Revision ID:

Stop

Item Name: Rear Locker Extender

Start Date: 11/4/2010 Start Qty: 4.00

Cust Item ID:

Required Date: 11/26/2010 Req'd Qty: 4.00

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

150

QC4- 100% Inspect kits for completeness

0.00



QC

Memo

0.00

Quality Control

160

Packaging

0.00



Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPP D350-604-041

Location: _____

PPP Rev: _____

170

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/12/1589

10/12/10
ME
10-12-15

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

November 5, 2010 7:19:03 AM

Page 1

Work Order ID: 63614

Parent Item: D350-604-041

Parent Item Name: Rear Locker Extender




Start Date: 11/04/10

Required Date: 11/26/10

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:Q03.12.01 Reformat KJ/RF

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
2600-6  Camlock Stud		Purchased	No			110	Each	133.0000	4	4			

Location	Loc Qty	Loc Code
ST381	133	
114238	4	
114355	4	
115502	4	
115814	52	
115987	69	

4 C/L 10/11/105

D350-604-041P  Rear Locker Extender	Purchased	No				120	Each	1.0000					
---	-----------	----	--	--	--	-----	------	--------	--	--	--	--	--

Location	Loc Qty	Loc Code
ST	1	
62259	1	

B63614 10/12/10

D2268  Decal	Manufactured	No				140	Each	13.0000					
--	--------------	----	--	--	--	-----	------	---------	--	--	--	--	--

Location	Loc Qty	Loc Code
ST010	13	
60213	3	
62243	10	

10/12/10 sf

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Page 2

November 5, 2010 7:19:03 AM

Work Order ID: 63614



Parent Item: D350-604-041



Parent Item Name: Rear Locker Extender

Start Date: 11/04/10

Required Date: 11/26/10

Start Qty: 1.00

Required Qty: 1.00

D2269

Manufactured No

140

Each

18.0000

1



Decal



10/12/14 SL

Location

Loc Qty

Loc Code

ST010

18

62244

8

63338

10

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-604 REV. B

REF TCCA STC: SH90-4

REF FAA STC: SR00463NY

PURPOSE:

The 2600-4 Camloc Studs may be too short for some installations.

CHANGE:

The qty (4) 2600-4 Camloc Studs are replaced with longer 2600-6 Camloc Studs. It is acceptable to install either 2600-4 or 2600-6 Camloc Studs. The parts list of D350-604 Rev. B is amended as follows:

QTY	PART NUMBER	DESCRIPTION
-041		
X	D350-604-041	REAR CARGO COMPARTMENT EXTENDER ASS'Y

IS:

4	2600-6	CAMLOC STUD
---	--------	-------------

WAS:

4	2600-4	CAMLOC STUD
---	--------	-------------

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 63614
C21011105

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: [Signature]
D. SHEPHERD (DE # 02)

DATE: 09.07.01
CERT. NO.: SH90-4
ISSUE NO.: 3

A	NEW ISSUE, NCR 09-046	CP	09.07.01
REV.	DESCRIPTION	BY	DATE
DESIGN	<u>92</u>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<u>97</u>		
CHECKED	<u>[Signature]</u>	DRAWING NO.	REV. A
MFG. APPR.	<u>NIA</u>	DSI 9470	SHEET 1 OF 1
APPROVED	<u>[Signature]</u>	TITLE	SCALE
DE APPR.	<u>[Signature]</u>	CAMLOC CHANGE	NTS
DATE	09.07.01	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



DESIGN BW	DRAWN BY UP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D350-604-041	REV. A SHEET 1 OF 1
DATE 02.04.01		TITLE REAR LOCKER EXTENDER ASSEMBLY	SCALE NTS
A	02.04.01	NEW ISSUE	
A1	02.04.23	ADD D2728-1 DECAL + ORIENTATION NOTE REAR LOCKER EXTENDER (D2273)	

RELEASED
02.04.03

RETAINING WASHER
2600-LW (4)



INSTALL D2728-1 DECAL
IN DEPRESSION ON INSIDE
BACK WALL

CAMLOCK STUD
2600-4 (4)



STOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 63614

DECAL (D2268)
TOTAL WEIGHT IN THIS COMPARTMENT
NOT TO EXCEED 15 LBS (7 KGS)

D350-604-041 REAR LOCKER EXTENDER

NOTE: DECALS TO BE ORIENTED TO MATCH 'UP' ORIENTATION OF RLE




Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART


DESIGN JB	DRAWN BY <i>JP</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2273	REV. D SHEET 1 OF 1
DATE 02.04.01	TITLE 350 REAR LOCKER EXTENDER		SCALE NTS
B	96.05.27	RE-DRAWN	
C	02.01.30	CLARIFY MATERIAL, LAYUP, AND TOOLING	
D	02.04.01	REMOVE EPOCAST, ADD SURFACE FINISH	

RELEASED
02.04.03 *[Signature]*

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 63614

NOTES:

- 1) LAMINATE PER DART QSI 006. LAMINATION SCHEDULE PER THIS DRAWING.
- 2) LAYUP USING DT8010 MOLD. WET LAYUP NO BAG/VACUUM.
- 3) TRIM & DRILL PER DT8020. OPEN HOLES TO $\phi 0.257$ (4 PLACES).
- 4) MATERIALS:
RESIN: DERAKANE 470-36/411/510A40
FIBRE: 9oz = 9.7 oz 7781 WEAVE "S" GLASS
18oz = 18.0 oz ROVING "E" GLASS.
- 5) CONSTRUCTION:
101-WHITE GLOSS GELCOAT # GEL 944W005.
102-9oz ALL OVER.
103-18oz ALL OVER.
104-18oz RE-INFORCE FRONT FLANGE EXTENDING 2" ON SIDES.
105-9oz ALL OVER.
106-PEEL PLY.
- 6) MATTE TO HOLD DOWN CORNERS AS REQUIRED.
- 7) FINISH THIS SURFACE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S.
- 8) ALL DIMENSIONS ARE IN INCHES.

**SECTION A-A****Copyright © 1996 by DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DELASTEK

AERONAUTIQUE

Delastek inc.
2699 5e avenue
Local 14, Porte -A-
Grand-Mère, Québec G9T 5K7
Can ** Fax (819) 533-3494 **

PACKING SLIP CERTIFICATE OF COMPLIANCE

Telephone: (819) 533-5788
Warehouse: MAIN

Invoice #	36350
Customer #	DART US

Bill to:
DART AEROSPACE LTD
1270, Aberdeen Street
Hawksbury, Ontario K6A 1K7
Canada

Ship to:
DART AEROSPACE LTD
1270, Aberdeen Street
Hawksbury, Ontario K6A 1K7
Canada

Telephone: 613-632-5200
Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
Pro Collect		Point de départ		Net 30 days USA		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #	GST/PST #	
10/12/2010	05/11/2010	15951	Chantal Lavoie		PO12873		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0003	Item 0001 Rear Locker Extender D350-604-041P B63614 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <u>No. série</u> B63614 <u>No. lot</u> 29491			
1	0	1	DKC134-0003	Item 0002 Rear Locker Extender D350-604-041P B63615 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <u>No. série</u> B63615 <u>No. lot</u> 29492			
1	0	1	DKC134-0003	Item 0003 Rear Locker Extender D350-604-041P B63616 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <u>No. série</u> B63616 <u>No. lot</u> 30406			

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

Continued on next page

☐ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Accepted by:

Quality department

AQ-357

Date: Vendredi, 2010-10-08 16:23:49
Utilisateur: Pascal Carignan

Feuille de Procédé

Client	: DART US DART AEROSPACE LTD	Nom Dessin	: REAR LOCKER EXTENDER
Numéro Job	: 29491	Numéro Article	: DKC134-0003
Numéro Soumission	: 3482	Numéro Dessin	: D350-604-041 & D2273
Numéro B.A.	:	Projet Numéro	: DK-362
Cette fois	: 2010-10-08 No. B.V. :	Révision dessin	: A & D
Prsht Rev.	: NC	Matériel	: Derakane 470-36/411/510
Prem. fois	: -- Type :	Date Dûe	: 2010-10-15 Qté: 1 Udm: UNITE
Job précédente	: 29490		
Écrit par	:		
Vérifié & Approuvé par	:		
Commentaires	: N° de pièce Laminée Dart Aerospace: D2273 N° de pièce Assemblage Dart Aerospace: D350-604-041		

Process Sheet Rév.: 01 Mise en page selon nouvelle forme.
Déplacer cette seq. 12 en avant de la seq. 6. Ajouter sablage dans
seq. Trimage.

Produit additionnel

Numéro Job:



Séq.: Machine ou Opération: Description :

1.0 AC0085 FREKOTE 3,78L 44-NC

Commentair Qty.: 0.02 UNITE(s)/Unit Total : 0.02 UNITE(s)

2.0 PRÉPARATION Préparation du moule



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Nettoyer le moule à l'aide d'un chiffon humide et sécher à l'air. Selon IF DKC134-0003-5.

Note: Afin que le frekote agisse pleinement, le moule doit être libre de toute
contamination, enlever tout contaminants à l'aide de Frekote PMC, PMC
Plus ou tout autre solvant efficace. Il est permis d'utiliser un abrasif (Doux)
afin d'enlever toute accumulation de résine sur le moule.

Appliquer 2 couches de Frekote 44-NC à l'aide du chiffon propre en laissant sécher pendant 15 minutes
entre les couches. Le séchage de la dernière couche doit être de 3 heures à température de la pièce avant
d'appliquer le Gel Coat.

Date: 16-11-10 Sceau:



3.0 AMB0350 Gel Coat Blanc N° Gel 944W005

Commentair Qty.: 1.580 UNITE(s)/Unit Total : 1.580 UNITE(s)

Gel Coat Blanc N° Gel 944W005

N° de Lot: 1-28605-1

Date: Vendredi, 2010-10-08 16:23:49
Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD
Numéro Job: 29491

Nom Dessin: REAR LOCKER EXTENDER
Numéro Article: DKC134-0003

Numéro Job:



Séq.: Machine ou Opération: Description :

4.0 AMB0286 Catalyst N° DDM-9

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)
Catalyst N° DDM-9 N° de Lot: 1-22176-1

5.0 AC0747 Acetone

Commentair Qty.: 0.200 KILOGRAMME(s)/Unit Total : 0.200 KILOGRAMME(s)

6.0 PREP-GENERAL Préparation du matériel



Commentair Setup: 0.00Hrs/ Run: 45.0000Min Total Run : 0.7500Hrs

Tailler le matériel selon les dimensions requises à l'aide de gabarit de trimage prévus à cet effet.

Date: 13/10/10 Sceau:



7.0 PREP-GENERAL Préparation du matériel



Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

Faire la préparation du matériel selon IF DKC134-0003-5 :

Dans une quantité de Gel Coat N° 944W005 ajouter 2% de Catalyst N° DDM-9 et diluer à l'aide de 10% d'acétone.

Date: 19/10/10 Sceau:



8.0 GEL COAT Application du Gel Coat



Commentair Setup: 0.00Hrs/ Run: 20.0000Min Total Run : 0.3333Hrs

Selon IF 134-0003.

À l'aide d'un fusil à gel coat appliquer une couche entre 15 et 20 millièmes de Gel Coat sur le moule N° DKG 362-010 et laisser sécher pendant un minimum de 2 heures avant de faire le lay-up, mais ne pas dépasser 24 heures de séchage selon l'instruction de travail N° Tec-70.

Note: Le gel coat ne doit contenir aucun "airdry" ni aucune cire. Et le temp de séchage est important afin d'éviter d'avoir des défauts de surface, et afin d'éviter que le tissu ne vienne marquer au travers du Gel Coat ainsi que d'éviter d'avoir un rétrécissement.

Quantité: 19/10/10 Date: 19/10/10 Sceau:



Date: Vendredi, 2010-10-08 16:23:49

Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 29491

Numéro Article: DKC134-0003

Numéro Job:



Séq.:

Machine ou Opération:

Description :

9.0

AMB0212

Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 1.680 LITRE(s)/Unit Total : 1.680 LITRE(s)

Résine (411B7530) 411-350 promo. 75min

N° de Lot:

1-28751-1

10.0

AMB0286

Catalyst N° DDM-9

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot:

1-22176-1

11.0

AMB0214

9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

Commentair Qty.: 4.6 VERGE(s)/Unit Total : 4.6 VERGE(s)

9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

N° de Lot:

1-27985-1

12.0

AMB0213

WR1850 Roving 18oz x 50"

Commentair Qty.: 1.140 KILOGRAMME(s)/Unit Total : 1.140 KILOGRAMME(s)

WR1850 Roving 18oz. x 50"

N° de Lot:

1-22302-1

13.0

LAMINAGE

Faire le laminage



Commentair Setup: 0.00Hrs/ Run: 3.5000Hrs Total Run : 3.5000Hrs

Selon IF 134-0003. S'assurer de ne pas trapper d'air entre les rangs.

Inscrire les informations suivantes:

Humidité:

24%

Température:

70.3°F

Heure:

Quantité:

1

Date:

19/11/10

Sceau:



14.0

AMB0212

Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.150 LITRE(s)/Unit Total : 0.150 LITRE(s)

Résine (411B7530) 411-350 promo. 75min

N° de Lot:

1-28751-1

15.0

AMB0286

Catalyst N° DDM-9

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot:

1-22176-1

16.0

FINITION

Finition Générale



Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

Injecter les bulles d'air selon IF DKC134-0003-5.

Quantité:

1

Date:

22/11/10

Sceau:



17.0

DÉMOULAGE

Démoulage de la pièce



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Selon IF DKC134-0003-5.

Date: Vendredi, 2010-10-08 16:23:49

Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 29491

Numéro Article: DKC134-0003

Numéro Job:



Séq.:

Machine ou Opération:

Description :

Faire le démoulage de la pièce en poussant de l'air à l'intérieur tout en faisant bien attention de ne pas l'endommager.

Quantité: 1Date: 22-11-10Sceau: 

18.0

TRIMAGE

Trimage



Commentair Setup: 0.00Hrs/ Run: 40.0000Min Total Run : 0.6667Hrs

Selon IF 134-0002.

Faire le sablage si nécessaire.

Quantité: 1Date: 24/11/10Sceau: 

19.0

AAC1021

Dupont Primer N° 7704S

Commentair Qty.: 0.3400 UNITE(s)/Unit Total : 0.3400 UNITE(s)

Dupont Primer N° 7704S

N° de Lot: 1-28050-2

20.0

AAC1101

N° 7775S, Dupont Activator - Reducer Chromabase

Commentair Qty.: 0.0670 UNITE(s)/Unit Total : 0.0670 UNITE(s)

N° 7775S, Dupont Activator - Reducer Chromabase

N° de Lot: 1-28389-1

21.0

PRIMER

Application primer



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Appliquer le primer selon IG 0008.

Quantité: 1Date: 25 nov 10Sceau: N° fiche de Mélange: 16-0008

22.0

AAC1607

Camlock Stud 2600-4 (or Monadnock 1126000-4)

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Camlock Stud 2600-4 (or Monadnock 1126000-4)

N° de Lot: 1-28996-1

23.0

AAC0682

Washer 2600-LW (1127700)

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Washer 2600-LW (1127700)

N° de Lot: 1-6687-1

24.0

ASSEMBLAGE

Assemblage mécanique



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Selon IF 134-0004.

Démasquer la pièce.

Assembler les quatre (4) Camlock Stud N° 2600-4 à l'aide des Lock Washer N° 2600-LW selon IG Pose de

Date: Vendredi, 2010-10-08 16:23:49
Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD
Numéro Job: 29491

Nom Dessin: REAR LOCKER EXTENDER
Numéro Article: DKC134-0003

Numéro Job:



Séq.: Machine ou Opération: Description :

stud.

Quantité: 1 Date: 1/12/10 Sceau:

25.0

IDENTIFICATION

Identification à encre indélébile



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Selon IF 134-0005 vers l'extérieur

Faire l'identification de la pièce:

N° de pièce D350-604-041

N° de Work Order: _____

Quantité: 1 Date: 1-12-10 Sceau:

26.0

INSPEC FINAL

Inspection finale



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'inspection dimensionnelle et visuelle de la pièce selon le dessin.

Quantité: 1 Date: 20 Dec 10 Sceau:

27.0

EMBALLAGE

Emballage & Entreposage



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'emballage selon IG 0057.

Quantité: 1 Date: 3 Dec 10 Sceau: L.F.

fab. 2 Dec 2010
JOB 29491